UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|------------------------|--|----------------------|---------------------|------------------|
| 10/518,871 | 01/23/2006 | Jan Chipchase | 884A.0096.U1(US) | 5294 |
| | 7590 01/05/200 N & SMITH, PC | 9 | EXAMINER | |
| 4 RESEARCH | DRIVE, Suite 202 | | SYED, NABIL H | |
| SHELTON, CT 06484-6212 | | | ART UNIT | PAPER NUMBER |
| | | | 2612 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 01/05/2009 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | | | |
|--|---|--|--|--|--|
| | 10/518,871 | CHIPCHASE ET AL. | | | |
| Office Action Summary | Examiner | Art Unit | | | |
| | NABIL H. SYED | 2612 | | | |
| The MAILING DATE of this communication app Period for Reply | ears on the cover sheet with the c | orrespondence address | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | | |
| Status | | | | | |
| Responsive to communication(s) filed on 10/20 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allowant closed in accordance with the practice under E | action is non-final. nce except for formal matters, pro | | | | |
| Disposition of Claims | | | | | |
| 4) ☐ Claim(s) 29,30,32-42,44-57 and 59-63 is/are per 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 29,30,32-42,44-57 and 59-63 is/are re 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers 9) ☐ The specification is objected to by the Examiner | vn from consideration. ejected. election requirement. | | | | |
| 10) The drawing(s) filed on is/are: a) access and applicant may not request that any objection to the confidence of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Expression of the confidence of the con | drawing(s) be held in abeyance. See on is required if the drawing(s) is obj | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). | | | |
| Priority under 35 U.S.C. § 119 | | | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 11/14/08. | 4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: | ate | | | |

Art Unit: 2612

DETAILED ACTION

1. The following is a non-final office action in response to the RCE filed 11/14/08. Amendments received on 11/14/08 have been entered. As per applicant claims 31, 43, 58 are cancelled. Claims 62 and 63 are newly added claims. Claims 29, 30, 32-42, 44-57 and 59-63 are pending.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 62 and 63 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

As of claim 62 and 63, the limitation "a computer readable medium encoded with computer executable instructions" is not disclosed in the specification as originally filed. It is considered that the computer readable medium constitutes new matter.

Art Unit: 2612

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 29, 30, 32-35, 40, 41, 62 and 63 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin (WO 01/50224) in view of Wischerop et al. (5,955,951) in view of Katagishi et al. (US Pub 20030120745).

As of claims 29, 30, 35, 40 and 62, Lin discloses an apparatus (via a RFID reader 120 and a network-enabled device 130; see fig. 1), comprising: a radio frequency tag reader configured, , to read information from the radio frequency tag (see page 8, lines 5-17); a radio interface for transmitting and receiving data in a network (via the computer 130).

transmitting the ID code of the tag and the reader to the network 140; see fig. 1; also see page 10, lines 19-22; Note: Lin discloses that computer 130 can be a portable lap top, a portable electronic organizer a digital mobile telephone so it has to have a radio interface to connect with the network 140); and

a controller configured, in response to the radio frequency tag reader reading first information from a first radio frequency tag, to control the interface to transmit a

Art Unit: 2612

message to a first destination, and the controller being configured, in response to the radio frequency tag reader reading second information from a second radio frequency tag, to control the interface to transmit a message to a second destination (Lin discloses that the computer 130 can send the information of one type of RF tag (first RF tag) to server 150 and the computer 130 can send the second information of second type of RF tag to server 160; see page 10, lines 20-33; also see page 13, lines 6-32; also see fig. 4).

However Lin fails to explicitly disclose that the apparatus comprising a docking port and the RFID reader is configured, in response to the docking port receiving a device to read information form the tag.

Wischerop discloses a apparatus comprising a RFID reader (via a detaching unit 26, including a control circuit 92, wherein control circuit interrogates the tag 28; see col. 7, lines 53-65), detaching unit further comprising a nesting area 84 (docking port), the control circuit 92 interrogating the tag 28 only when the tag is in the nesting area 84 (see col. 7, lines 19-31; also see col. 7, lines 51-64; also see fig. 5).

From the teaching of Wischerop it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Lin to include a docking port on the apparatus as taught by Wischerop in order to eliminate any problem of interference from other tags that may be present at the vicinity of the reader (see col. 7, lines 62-65).

Even though the references of Lin and Wischerop disclose that the reader reads a code from the tag but they fail to disclose that a part of the code is used to select a destination.

Page 5

Karagishi discloses an information receiving system wherein a reader (via cellular phone 20; see fig. 1) reads a code from a RFID tag (via cellular phone 20 reading a server access address and product ID from the RFID tag 10; see fig. 1; also see paragraph [0057]), wherein the part of the code (the part containing the server access address) is used to select a destination (server 30) (see fig. 1; also see paragraph [0055]-[0059]). Karagishi further discloses the step of selecting a first destination (via sending the signal to a server 30) and a second destination (via sending the signal to server 30A) based on the code received from the RFID tag (see fig. 1 and 11; also see paragraphs [0084]-[0086]).

From the teaching of Karagishi it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the combination of Lin and Wischerop to include the step of using a part of the code to select a destination as taught by Karagishi in order to improve the functionality of the PDA's or cellular as RFID reader so the reader automatically accesses the server based on the server access address.

As of claims, 32 and 41, Lin discloses that different RF tags ("free RF tag" and "purchased RF tag") can be used to access different information on the network and different RF tags have different code and messages are transmitted to the network based on the different types of RF tags; see page 21; also see page 13; see fig. 4).

As of claim 33, Lin discloses that if a "free tag" is used, a user can obtain free clips of audio tracks, movie trailer to play them on their computer/network enable device 130; see page 21, lines 1-15) and if a user a "special tag" they can listen to the radio content on a server computer via the computer 130 (see page 21, lines 31-33), hence different tag transmits different messages on the network and computer 130 performs different operation based the instructions received from the server.

As of claim 34, Lin discloses that each RF tag's unique code is linked to a web site URL, hence specifying the IP address or the domain name where the resource is located on the internet (see page 5, lines 13-16).

As of claim 63, Katagishi discloses that a user input is required before transmitting the messages to a first and second destination (see paragraph [0011]).

6. Claims 36-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wischerop et al. (5,955,951) in view of Katagishi et al. (US Pub 2003/0120745).

As of claim 36, Wischerop discloses device (via tag 28; see fig. 8), comprising: a casing configured to be received by a docking port of an apparatus (via enclosure 50; see fig. 5 and 3);

a memory configured to store information (via RFID chip 64 storing multi-bit identification data; see col. 5, lines 56-60); and

a radio frequency tag configured, in response to the reception of the casing by the docking port, to transmit the stored information to the apparatus, in order to enable the apparatus to transmit a message (via RFID chip 64 emitting an identification signal

Page 7

corresponding to the stored data in response to a radio frequency interrogation signal; see col. 5, lines 55-64; also see col. 7, lines 53-65; also see fig. 5).

However Wischerop fails to explicitly disclose that the memory is configured to store information identifying a remote network destination and the apparatus transmit a message to the identified remote network destination.

Karagishi discloses an information receiving system wherein a reader (via cellular phone 20; see fig. 1) reads a code from a RFID tag (via cellular phone 20 reading a server access address and product ID from the RFID tag 10; see fig. 1; also see paragraph [0057]), wherein the code (the part containing the server access address) is used to select a destination (server 30) (see fig. 1; also see paragraph [0055]-[0059]).

From the teaching of Karagishi it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Wischerop to include the step of using the code to select a destination as taught by Karagishi in order to improve the functionality of the PDA's or cellular as RFID reader so the reader automatically accesses the server based on the server access address.

As of claim 37, Wischerop discloses that tag 28 comprises an RFID chip 64 functioning as a transponder. Wischerop discloses that the tag circuitry is passive, hence can be activated when being interrogated by the RFID reader and stay inactive in other conditions hence comprising a switch, to turn the device active and inactive when placed in the nesting area (see col. 6, lines 1-3; also see fig. 4).

Application/Control Number: 10/518,871

Art Unit: 2612

As of claim 38, Wischerop discloses that the casing comprises a protruding member configured to be received by the docking port of the apparatus (via an enclosure 58; see fig. 3).

Page 8

As of claim 39, Katagishi discloses that the apparatus is a portable communication apparatus (via a cellular phone; see fig. 1).

7. Claims 42, 44-52 and 55 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin (WO 01/50224) in view of Wischerop et al. (5,955,951) in view of Dosch (US Pub 2002/0069365).

As of claims 42 and 55, Lin discloses all the limitations of the claimed invention as mentioned in claim 29 above, Lin further discloses that the application software 132 can include a look up table that map the ID codes of the tags to specific applications, servers, web site URLS (see page 11, lines 29-32). Lin further disclose that if the reader determines that the RF tag is a type 3 tag based on the tag's identification, hence determining that the read code corresponds with a stored code, and then the application software will begin a local application program on the user computer, hence performing an operation associated with the corresponding stored code (see page 13, lines 25-32). Even though the Examiner believes that based on this description it can be seen that the terminal device 130 does store the unique code of the tags and after reading the tags code first it is compared with the codes stored in the look up table of the application software and when the code is not present the terminal device will transmits the unique code of the tag to the server, hence transmitting a message.

Lin further discloses that server matches the unique code in the data base and if the code is not authenticated (meaning code does not correspond with a stored code) and error message is displayed on the user computer 130 for the user.

In order to further support the Examiner's point of view Dosch discloses that an apparatus (via internet terminal 11; see fig. 1) stores the code of a radio frequency tag (via identification module 15; see fig. 1; also see paragraph [0024]) and authenticate the identification module 15 which enables the terminal device 11 to connect to the internet (paragraph [0030] and [0027), hence performing an operation.

From the teaching of Dosch it would have been obvious to one having ordinary skill in the art to modify the combination of Lin and Wischerop to include the step of storing the tags code in the terminal device as taught by Dosch so the risk of the theft of the terminal device can be reduced because the identification module is required to enable the terminal device (see paragraph [0013]).

As of claims 44 and 45, they discloses the same limitation as disclosed in claim 33 above, so the claims are rejected as claim 33 above.

As of claim 46, Wischerop discloses that the detaching unit 26 comprises a switch 86 in the nesting area 84 (docking port) to provide an indication that a tag 28 has been positioned in the nesting area 84 (see col. 7, lines 24-29).

As of claim 47, Wischerop discloses that the control circuit interrogates the tag only when a tag is in the nesting area 84 (see col. 7, lines 60-64).

As of claim 48, Lin discloses that the operation relates to sending an email (see page 9, lines 21-26)

As of claims 49 and 50, Lin discloses that RF tag can be used as "business cards" to client. When placed in the proximity of a reader, the business person's email address will be displayed to the client and the user can type a message (amending the email) and send the email by pressing "send", hence requesting the user approval before sending the email (see page 25, lines 6-12)

As of claim 51, Lin discloses that each RF tag's unique code is linked to a web site URL, hence specifying the IP address or the domain name where the resource is located on the internet (see page 5, lines 13-16).

As of claim 52, Lin discloses that the operation relates to causing the apparatus to enter a secrecy mode (Lin discloses that the RF tags can also be encoded with unique codes that cause the system server computer to perform transactions in a secure mode; see specification page 6, lines 26-32).

8. Claims 53 and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin (WO 01/50224) in view of Wischerop et al. (5,955,951) in view of Dosch (US Pub 2002/0069365) in view of Gallagher, et al. (6,963,270).

As of claims 53 and 54, Lin discloses that RFID reader reads plurality of tags and perform different functions based on the tag's unique code. Wischerope further discloses that the nesting area (docking port) interrogate the tag when the tag is placed in the nesting area. (Note: In the previous office action the Examiner took official notice stating that having multiple tags in the reader fields would have been obvious to one having ordinary skill in the art at the time the invention was made since it is well know in the art that RFID reader can have multiple tags in the reading area simultaneously).

Art Unit: 2612

In order to support the Examiner's notice Gallagher discloses a RFID system wherein a reader interrogates multiple tags located within an interrogation zone of the reader (see col. 2, lines 22-26).

9. Claims 56 and 59-61 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lin (WO 01/50224) in view of Walter (6,275,141).

As of claim 56 and 61, Lin discloses an apparatus, comprising:

a memory configured to store first information (Lin discloses that the data of interest

(first information) of a user is stored in a system server under a unique RF code; see

page 23,lines 24-28);

a radio frequency tag reader configured to read second information from a radio frequency tag of a device (via RFID reader reading the unique code of the RFID tag (second information); see page 23, lines 27-29); and

a controller configured, in response to the reading of the second information from the radio frequency tag, to activate a secrecy mode by concealing the first information, such that the first information is inaccessible by an unauthorized user (Note: Lin discloses that the data of interest is stored in the system server under a unique RF code, hence first the RF tag's code is used to conceal the data of interest of the user. So every time when users wishes to acquire the data of interest he/she uses his/her tag to acquire the data, and after every use data is concealed since the tag will be required, the next time user wishes to acquire the data of interest; see page 23, lines 24 through page 24, lines 5).

Art Unit: 2612

However Lin does not explicitly disclose the step of concealing the first information when the first information is displayed on the display.

Walter discloses a single key security system wherein different functions such as using a cellular phone of the vehicle (see fig. 1) are available to the user. But when the processor 116 receives a signal from the remote control 102 it enables a valet mode (secrecy mode) wherein the use of the cellular phone and hence the information displayed on the cellular phone is disable (see col. 7, lines 35-45).

From the teaching of Walter it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Line to include the function of concealing some information as taught by Walter in order to provide the user with the option to give limited and restricted access to user's communication device.

As of claims 59, Even though not explicitly said but from the description of Lin it can be seen that when a person is given an RFID tag he/she is authorized to access the data of interest (first information) on the server computer via the network-enabled device, and after the user has viewed the information using the RF tag code (second information) the data of interest is concealed, unless the RF tag is presented again, hence the server system activate the secrecy mode by concealing the data for interest (first information) such that the data is inaccessible by an unauthorized user (Note: unauthorized user can be viewed as any user who does not posses an authorized RF tag). Further as discloses above the network-enabled device comprises a computer, hence comprising a display to view the data of interest (see page 23, lines 24-32; also

Art Unit: 2612

see page 24, lines 15-20). Further when user is viewing the data of interest, of course they have the option to show the information to any individual they desire, whether that person possesses a valid RFID tag or not.

Lin further discloses that when the processor receives a signal from the remote control 102 it deactivates the valet mode so the user have full access to the vehicle, and devices in the vehicle (see col. 7, lines 35-45).

As of claim 60, Lin discloses that the first information is a phonebook entry (via the information being frequently and/or last used phone number; see page 23, lines 32-33).

10. Claims 57 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lin (WO 01/50224) in view of Walter (6,275,141) and further in view of Wischerop et al. (5,955,951).

As of claim 57, the combination of Lin and Walter discloses all the limitations of the claim invention but fails to explicitly disclose the apparatus comprising a docking port and the RFID reader is configured, in response to the docking port receiving a device to read information form the tag.

Wischerop discloses a apparatus comprising a RFID reader (via a detaching unit 26, including a control circuit 92, wherein control circuit interrogates the tag 28; see col. 7, lines 53-65), detaching unit further comprising a nesting area 84 (docking port), the control circuit 92 interrogating the tag 28 only when the tag is in the nesting area 84 (see col. 7, lines 19-31; also see col. 7, lines 51-64; also see fig. 5).

From the teaching of Wischerop it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus of Lin

Art Unit: 2612

to include a docking port on the apparatus as taught by Wischerop in order to eliminate any problem of interference from other tags that may be present at the vicinity of the reader (see col. 7, lines 62-65).

Response to Arguments

- 11. Applicant should submit an argument under the heading "Remarks" pointing out disagreements with the examiner's contentions. Applicant must also discuss the references applied against the claims, explaining how the claims avoid the references or distinguish from them.
- 12. Further amendments made to the claims were not identified by the applicant. Further some of the claims (for example claim 32) were amended from the previous claims that were rejected in the final rejection but applicant mistakenly put "previously presented" instead of "currently amended".
- 13. The Examiner believes that applicant is keeping the same Remarks which were filed 9/18/08 in the after final amended. Based on those Remarks, all the arguments are moot in view of new grounds of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NABIL H. SYED whose telephone number is (571)270-3028. The examiner can normally be reached on M-F 7:30-5:00 alt friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Zimmerman can be reached on (571)272-3059. The fax phone

Art Unit: 2612

number for the organization where this application or proceeding is assigned is 571-

273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nabil H Syed Examiner Art Unit 2612

N.S

/Brian A Zimmerman/ Supervisory Patent Examiner, Art Unit 2612